



Florida Department of Environmental Protection

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Central District
3319 Maguire Boulevard, Suite 232
Orlando, Florida 32803-3767

Jonathan P. Steverson
Secretary

Sent via email:
KFolsom@titanamerica.com

Titan Florida LLC
455 Fairway Drive
Deerfield Beach, FL 33441

ATTENTION: Kelly Folsom, Environmental Manager

Re: Tavares - Ready Mix Concrete Batch Plant And Block Plant
Lake Industrial Blvd., Tavares, FL 32778

FILE NO.: 35-FLG110736-003-IWCB
PERMIT NO: 35-FLG110736
Permit Expiration: December 6, 2021

Dear Mr. Folsom:

In response to your request for coverage under the Generic Permit for Discharges from Concrete Batch Plants for the above referenced facility, dated June 03, 2016, the Department of Environmental Protection hereby grants your request effective on December 5, 2016. Your permit number is 35-FLG110736. Please refer to this number in all correspondence or permit inquiries.

Attached are a copy of the effective Generic Permit and a copy of Chapter 62-621, Florida Administrative Code (F.A.C.). Your use of the Generic Permit is valid until December 6, 2021. If you wish to continue coverage beyond expiration of the current coverage, a request for continued coverage shall be made in accordance with the Generic Permit at least 180 days before expiration. All correspondence, including the request for continued coverage under Section VII.D, shall be submitted to the Central District Office.

Pursuant to Section 403.087, Florida Statutes (F.S.) and Rule 62-4.052(8)(b), F.A.C., an initial prorated regulatory program and surveillance fee is due within 30 days of receipt of the invoice, which shall be sent by our Tallahassee Office under separate cover. Each year thereafter, the full fee will be due on January 15. The annual fee applicable to your facility is \$200.00 per year. If you have any questions about the fee or its applicability, please contact the Wastewater Program Management Section of the Tallahassee Office at telephone number 850-245-8567.

Pursuant to Section VII.C., the permittee shall submit, within 30 days of completion of construction, a "Notification of Completion of Construction" (DEP Form 62-620.910(12), attached). Record drawings shall be made available within six months of the facility being placed into operation. **This applies to the permanent Batching Plant and the Type II treatment/recycle system which had not previously been constructed.**

A person whose substantial interests are affected by the Department's proposed permitting decision may petition for an administrative proceeding (hearing) under Sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received by the Clerk) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000.

PERMIT NUMBER: 35-FLG110736
FILE NUMBER: 35-FLG110736-003-IWCB
FACILITY NAME: Titan Florida- Tavares - Ready Mix Concrete Batch Plant

Petitions by the applicant or any of the parties listed below must be filed within 14 days of receipt of this written notice. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the notice or within 14 days of receipt of the written notice, whichever occurs first.

Under Section 120.60(3) of the Florida Statutes, however, any person who has asked the Department for notice of agency action may file a petition within fourteen days of receipt of such notice, regardless of the date of publication.

The petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57 of the Florida Statutes. Any subsequent intervention (in a proceeding initiated by another party) will be only at the discretion of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information:

- (a) The name, address, and telephone number of each petitioner; the Department permit identification number and the county in which the subject matter or activity is located;
- (b) A statement of how and when each petitioner received notice of the Department action;
- (c) A statement of how each petitioner's substantial interests are affected by the Department action;
- (d) A statement of the material facts disputed by the petitioner, if any;
- (e) A statement of facts that the petitioner contends warrant reversal or modification of the Department action;
- (f) A statement of which rules or statutes the petitioner contends require reversal or modification of the Department action; and
- (g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wants the Department to take.

A petition that does not dispute the material facts on which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by rule 28-106.301.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Mediation under Section 120.573 of the Florida Statutes is not available for this proceeding.

This action is final on the date filed with the Clerk of the Department unless a petition is filed in accordance with the above. Upon the timely filing of a petition this order will not be effective until further order of the Department.


Any party to the order has the right to seek judicial review of the order under Section 120.68 of the Florida Statutes, by the filing of a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the Clerk of the Department in the Office of General Counsel, 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida, 32399-3000; and by filing a copy of the Notice of Appeal accompanied by

PERMIT NUMBER: 35-FLG110736
FILE NUMBER: 35-FLG110736-003-IWCB
FACILITY NAME: Titan Florida- Tavares - Ready Mix Concrete Batch Plant

the applicable filing fees with the appropriate district court of appeal. The Notice of Appeal must be filed within 30 days from the date when the final order is filed with the Clerk of the Department.

Executed in Orlando, Florida.

STATE OF FLORIDA DEPARTMENT
OF ENVIRONMENTAL PROTECTION



For: Christianne C. Ferraro, P.E.

Administrator

Permitting and Waste Cleanup Program - Wastewater

CCF/dj

FILING AND ACKNOWLEDGMENT

FILED, on this date, under Section 120.52, F.S. with the designated Department Clerk, receipt of which is hereby acknowledged.



Clerk


June 9, 2016

Date

Attachments: Generic Permit for Discharges from Concrete Batch Plants
Chapter 62-621, F.A.C., Generic Permits
Attachment – Spill Notification

cc: Elsa Potts, P.E., DEP (via email)
Wanda Parker Garvin / DEP / wanda.parker@dep.state.fl.us
Al Andreansky P.E. / (envirosy@gate.net) / andreansky@verizon.net
Jennifer Cotch, Lake County Water Resource Management / (jcotch@lakecountyfl.gov)
Ali Kazi, P.E., DEP (ali.kazi@dep.state.fl.us)
Dr. Shabbir Rizvi, DEP (shabbir.rizvi@dep.state.fl.us)
David Smicherko, DEP (via email)

CERTIFICATE OF SERVICE

This is to certify that this NOTICE OF PERMIT and all copies were emailed before the close of business on June 9, 2016 to the listed persons, by  _____

PERMIT NUMBER: 35-FLG110736
FILE NUMBER: 35-FLG110736-003-IWCB
FACILITY NAME: Titan Florida- Tavares - Ready Mix Concrete Batch Plant

ATTACHMENT – Spill Notification

The permittee shall report to the Department any noncompliance, which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within five days of the time the permittee becomes aware of the circumstances. The written submission shall contain: a description of the noncompliance and its cause; the period of noncompliance including exact dates and time, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.

- a. The following shall be included as information which must be reported within 24 hours under this condition:
 1. Any unanticipated bypass which causes any reclaimed water or effluent to exceed any permit limitation or results in an unpermitted discharge,
 2. Any upset which causes any reclaimed water or the effluent to exceed any limitation in the permit,
 3. Violation of a maximum daily discharge limitation for any of the pollutants specifically listed in the permit for such notice, and
 4. Any unauthorized discharge to surface or ground waters.
- b. Oral reports as required by this subsection shall be provided as follows:
 1. For unauthorized releases or spills of untreated or treated wastewater reported pursuant to subparagraph a.4 that are in excess of 1,000 gallons per incident, or where information indicates that public health or the environment will be endangered, oral reports shall be provided to the Department by calling the STATE WARNING POINT TOLL FREE NUMBER (800) 320-0519, as soon as practical, but no later than 24 hours from the time the permittee becomes aware of the discharge. The permittee, to the extent known, shall provide the following information to the State Warning Point:
 - (a) Name, address, and telephone number of person reporting;
 - (b) Name, address, and telephone number of permittee or responsible person for the discharge;
 - (c) Date and time of the discharge and status of discharge (ongoing or ceased);
 - (d) Characteristics of the wastewater spilled or released (untreated or treated, industrial or domestic wastewater);
 - (e) Estimated amount of the discharge;
 - (f) Location or address of the discharge;
 - (g) Source and cause of the discharge;
 - (h) Whether the discharge was contained on-site, and cleanup actions taken to date;
 - (i) Description of area affected by the discharge, including name of water body affected, if any; and
 - (j) Other persons or agencies contacted.
 2. Oral reports, not otherwise required to be provided pursuant to subparagraph b.1 above, shall be provided to the Department's Central District Office within 24 hours from the time the permittee becomes aware of the circumstances.
- c. If the oral report has been received within 24 hours, the noncompliance has been corrected, and the noncompliance did not endanger health or the environment, the Department's Central District Office shall waive the written report.

STATEMENT OF BASIS

PERMIT NUMBER: 35-FLG110736 APPLICATION DATE: June 03, 2016
FILE NUMBER: 35-FLG110736-003-IWCB ADD'L INFORMATION: NA
PERMIT WRITER: Ali Kazi
NAME OF APPLICANT: Titan Florida LLC / Titan America LLC
ADDRESS OF APPLICANT: 455 Fairway Drive
Deerfield Beach, FL 33441
AUTHORIZED REP.: Mr. Kelly Folsom, Environmental Manager
954-242 0183
FACILITY NAME: Titan– Tavares Concrete Batch Plant
FACILITY LOCATION: Lake Industrial Boulevard
Tavares, Lake County, FL 32778
Latitude: 28° 45' 32.23"N Longitude: 81° 43' 37.54"W
954-481-2800
TYPE OF FACILITY: Concrete Batch Plant
Standard Industrial Classification Code: 3273
PERMIT HISTORY: The facility was placed in service in December 2007 and is classified as a new facility in the Generic Permit Rule 62-621.300(3)(a) Part I.B.4 FAC. Permit 001 was issued on June 8, 2006 and expired June 7, 2011.

DESCRIPTION OF FACILITY:

This facility is a new facility as defined by the Generic Concrete Batch Plant Rule 62-620.300(3)(a), Part I.B.4 and Part II Florida Administrative Code (FAC) for the treatment and disposal system design. The facility generates wastestreams defined as Type I and Type II wastewater by the Rule 62-621.300(3)(a), Part I.B.5&6 FAC in the plant operations.

Due to economic conditions the permanent stationary plant originally permitted has not been built. Inspectors have determined that a temporary mobile plant was placed on the property in the same general area as proposed for the permanent stationary plant and that this plant is not currently in active service. The **permittee shall notify this office in writing** when the permanent stationary plant is built.

The property has a total of 21.39 acres of which 21.22 acres at the southern end of the site will contain the concrete facilities and the block plant, which will contribute to the Type I basin runoff. The Type II wastewater comes from the wash out of excess concrete from the drums of batching trucks and contact storm water from the Type II area. The facility will generate an estimated 6,750 GPD from this wash out process when constructed. Note at present the facility has not built a Type II system and **shall complete the construction prior to placing the facility in service.**

The Type II treatment system is located next to Lake Industrial Boulevard in an arc along the northwestern portion of the site. The Type II treatment system consists of a wash out pit, 3 treatment cells, a fourth cell acting as a surge pit and a dry materials storage pad. The fueling station is located adjacent to the Type II system.

Any discharges from the Type II system shall be directed to the Type I system for dilution. Only that portion of the overflow in excess of the design storm, which is defined as the 25 year, 24 hour storm event may discharge from the Type II system. The treated Type II wastewater may be reused in further truck wash outs, batching concrete, dust control and aggregate stack spraying (limited to beneficial reuse volumes). If the facility has to prepare for a hurricane or tropical storm, the last cell may be pumped down to the Type I system to allow additional storage capacity for storm runoff in the Type II system.

FILE NUMBER: 35-FLG110736-003-IWCB
FACILITY NAME: Titan Florida-Tavares Ready Mix Plant

The Type I system design uses the Retention design criteria for new plants as required by Rule 62-621.300(3)(a) Part II.A.1 (b) FAC and shall have no discharges off site unless it is as a result of a rainfall event in excess of the 10 year, 24 hour storm event. The site is separated into the northern half and the southern half by a runoff divide in the middle of the plant yard. The northern half is the concrete batch plant. The southern half is the block plant. The batch plant generates Type I wastewater in external truck washing, runoff from slump racks, conveyor wash down, contact storm water runoff and water used to hydrate the aggregate in the silos on the eastern property line. The wastewater flows to the northeast by gravity and enters one of two concrete sediment traps. The sediment traps overflow into the Type I treatment/disposal pond.

The Type I pond is designated as retention pond 1. The Type I pond is triangular in shape and located in the northeastern part of the site. A 50 foot wide portion of the pond extends the entire length of the northern property line. The overflow structure is located on the eastern side of the Type I pond and discharges via a 12 inch diameter pipe to a ditch through regional stormwater to Lake Melton, a class III fresh surface water body of the State. Based on a conversation with the consultant on May 23, 2006, the discharge would flow back along the property line to the lake, which is to the south in an old Railroad easement owned by Tarmac (see notes at the end of this document).

The block plant does not generate any industrial wastewater wastestreams. Non-contact storm runoff from the block plant flows south to a large impoundment designated as retention pond 2. This pond is about 95 feet wide and extends approximately 650 feet along the southwestern property line. The discharge from retention pond 2 is directed to the Type I pond via a canal all the length of the property on the eastern side of the site, some 1450 feet long by 15 feet wide.

Unless specified otherwise in this permit, all reports and notifications required by this permit, including twenty-four hour notifications, shall be submitted to or reported to, as appropriate, the Central District Office of the Department at the address specified below:

Florida Department of Environmental Protection
Central District Office
Wastewater Compliance/Enforcement Section
Suite 232, 3319 Maguire Blvd.
Orlando, FL 32803

Phone Number – (407) 893-3313
FAX Number - (407) 893-3166

(All FAX copies shall be followed by original copies.) All reports and other information shall be signed in accordance with requirements of Rule 62-620.305, F.A.C. [62-620.305, 10-23-00].

THE ADMINISTRATIVE RECORD

The administrative record; including application, notice of coverage, fact sheet, public notice (after release), comments received and additional information; is available by writing FDEP or for public inspection during normal business hours at the location specified below. Copies may be made at a charge of \$.15 per page.

Florida Department of Environmental Protection
Central District Office
Industrial Wastewater Program
3319 Maguire Boulevard, Suite 232
Orlando, FL 32803
Telephone Number: 407-897-4150

Notes: The original SOB has the following comments: The field inspector will likely find that the flow pattern in the old Railroad right-of-way is not as well defined as the on-site canal. They need to keep a reasonable level of access such that the inspector can walk the berm along the canal. There is not expected to be a discharge except as a result of an emergency rainfall. Should a surface discharge be observed, it is reasonable to ask for some justification in form of documenting a local heavy rainfall. A local rain gauge would be adequate for that purpose.

We asked the facility to redesign the system to avoid running the non-contact storm runoff through the Industrial system. The applicant declined and the consultant pointed out that the Retention volume necessary to hold the design storm counts the holding

FILE NUMBER: 35-FLG110736-003-IWCB
FACILITY NAME: Titan Florida-Tavares Ready Mix Plant

capacity in both retention ponds 1 and 2. The Department's ERP Program was consulted on April 17, 2006 and Debra Laisure agreed that a separate outfall with a stormwater permit would have been preferred. Dimensions on the ponds above are at top of berm.

Nothing has changed and the batching facility to date has not been built in the final configuration as permitted in 2006.

PROPOSED SCHEDULE FOR PERMIT ISSUANCE:

Complete Draft Permit.....	June 9, 2016
Complete District Review of Draft Permit.....	June 10, 2016
Notice of Permit Coverage.....	June 13, 2016



**NOTICE OF INTENT
TO USE
GENERIC PERMIT FOR DISCHARGES
FROM CONCRETE BATCH PLANTS
(RULE 62-621.300(3), F.A.C.)**

PART I - INSTRUCTIONS

This form is to be completed and submitted to the Department along with the information specified before use of the generic permit provided in Rule 62-621.300(3), F.A.C. The type of facility that qualifies for use of the generic permit, the conditions of the permit, and additional requirements to request coverage are specified in DEP Document 62-621.300(3)(a). Note that additional requirements for requesting coverage include submittal of the applicable general permit fee pursuant to Rule 62-4.050, F.A.C. You should familiarize yourself with the generic permit before completing this form.

**Please print or type information in the appropriate areas below.
Attach additional information on a separate sheet(s) as necessary.**

PART II - GENERAL INFORMATION

A. IDENTIFICATION NUMBER:

Enter the facility's DEP identification number below if known. If this is a new facility to which an I.D. number has not yet been assigned, leave this item blank.

Facility I.D. No.:

B. NAME OF FACILITY:

Facility Name:

C. FACILITY CONTACT:

1. Name and Title (Last, first, & title)	2. Phone (area code & no.)

D. FACILITY MAILING ADDRESS:

1. Street or P.O. Box:		
2. City or Town:	State:	Zip Code:

E. FACILITY LOCATION:

1. Street, Route or Other Specific Identifier:		
2. County Name:	3. County Code (if known):	
4. City or Town:	5. State:	6. Zip Code:
7. Latitude: ° ' "	8. Longitude: ° ' "	

F. OPERATOR INFORMATION:

The operator of the facility is the legal entity which controls the facility's operation. Provide the name, as it is legally referred to, of the person, firm, public organization, or any other entity which operates the facility and the additional information requested below:

1. Name:		2. Is the name in F.1. the owner? <input type="checkbox"/> Yes <input type="checkbox"/> No	
3. Status of Operator: F = Federal; S = State; P = Private; O = Other; M = Public (other than F or S)	(code)	(specify)	4. Phone No.:
5. Street or P. O. Box:			
6. City or Town:		7. State:	8. Zip Code:

G. INDIAN LAND: Is the facility located on Indian lands? Yes No

H. EXISTING ENVIRONMENTAL PERMITS:

Give the number of each presently effective permit related to this project below:

1. NPDES Permit No.	2. DEP IW Facility Permit No.	3. ERP Permit No.
4. DEP Air Pollution Permit No.	5. Other (specify)	6. Other (specify)

I. FACILITY STATUS: Is the facility new or existing as defined in Rule 62-621.300(3)(a), F.A.C.? New Existing

Date facility was or will be placed into operation: _____

If new, will the facility impact wetlands or be constructed in the areas described in condition I.A.2. of DEP Document 62-621.300(3)(a)? Yes No

J. WATER MANAGEMENT DISTRICT:

Indicate which Water Management District the facility is located in:

- | | |
|--|--|
| <input type="checkbox"/> Northwest Florida | <input type="checkbox"/> Southwest Florida |
| <input type="checkbox"/> St. Johns River | <input type="checkbox"/> Suwannee River |
| <input type="checkbox"/> South Florida | |

K. MAP:

Submit with this notification form a topographic map showing the general location of the facility extending to at least one mile beyond the property boundaries. The map must show the outline of the facility and the location of any existing and proposed points of discharge. Show all public and private water supply wells and sink holes within 500 feet of the facility. Include all springs, rivers and other surface water bodies (including wetlands) in the map area.

PART III - SITE INFORMATION

A. SITE PLAN:

1. Submit with this notification form a scaled site plan(s) showing the following:
 - a. Property boundaries
 - b. Existing and proposed wastewater and stormwater management facilities (include location of all detention/retention facility inlets and outlets)
 - c. Locations of points of discharge and receiving waters for any off-site discharges (include estimates of tailwater elevations under design conditions for all points of discharge, and source or method of estimate)
 - d. Existing and proposed topography, drainage patterns and drainage basin boundaries
 - e. Existing and proposed pervious and impervious areas
 - f. Existing and proposed land use and cover

B. SOILS:

Submit with this notification form a U.S. Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) soils map delineating soil types of the project area and vicinity and/or soil boring data for wastewater and stormwater management facility locations.

C. WATER TABLE DATA:

Identify the normal and wet seasonal high water table elevations for the site. Include source or method of estimate.

PART IV - TREATMENT SYSTEM DESIGN INFORMATION

A. TYPE II WASTEWATER SYSTEM:

1. Average daily flow of produced Type II wastewater: _____ gallons/day
2. Area contributing drainage to Type II wastewater containment system (including surface area of Type II system): _____ ft²
3. a. Depth of design storm (i.e., 25-year, 24-hour storm event): _____ inches
b. Source of design storm rainfall data: _____
4. Design storm runoff volume draining into Type II wastewater containment system: _____ ft³
5. Containment volume provided above normal operating level: _____ ft³
6. Reclaimed Type II wastewater will be used for: Truck Washout Aggregate Pile Watering
 Batching Concrete Other, Describe: _____
7. Average daily utilization rate of reclaimed Type II wastewater (total for all items checked in 6. above): _____ | _____ gallons/day
8. a. Will system storage recovery be provided by pumping? Yes No
b. If yes, maximum pump capacity: _____ gallons/minute
c. If no, describe method of system storage recovery: _____
9. Overflow discharged to: Type I wastewater management system
 Emergency holding facility
 Other, Describe: _____

B. NEW FACILITY TYPE I WASTEWATER AND NON-CONTACT STORMWATER SYSTEM:

(Complete this section for new facilities only)

1. Average daily flow of produced Type I wastewater: _____ gallons/day
2. a. Area of entire site: _____ acres
b. Percent impervious: _____ %
3. a. Type I area of site: _____ acres
b. Percent impervious: _____ %

4. Discharge attenuation (quantity) criteria used for design. (Describe and provide appropriate rule citation.):

5. Will a retention or wet detention system be utilized? Retention Wet Detention

6. Wet detention systems:

a. Sediment traps:

(1) Number used: _____

(2) Construction materials: _____

(3) Dimensions: _____

b. Off-line wet detention:

(1) Treatment volume: _____ acre-feet

(2) Type of drawdown device utilized: _____

(3) Type of overflow device utilized: _____

(4) Control elevation: _____

(5) Discharge point design tailwater elevation: _____

(6) Recovery time for one-half of treatment volume: _____ hours

(7) Permanent pool volume: _____ acre-feet

(8) Wet season (3-month) residence time of permanent pool: _____ days

(9) Permanent pool mean depth: _____ feet

(10) Permanent pool maximum depth: _____ feet

c. Final wet detention:

(1) Treatment volume: _____ acre-feet

(2) Type of drawdown device utilized: _____

(3) Type of overflow device utilized: _____

(4) Control elevation: _____

(5) Discharge point design tailwater elevation: _____

(6) Recovery time for one-half of treatment volume: _____ hours

(7) Permanent pool volume: _____ acre-feet

(8) Wet season (3-month) residence time of permanent pool: _____ days

(9) Permanent pool mean depth: _____ feet

(10) Permanent pool maximum depth: _____ feet

7. Retention systems:

a. Design storm information:

(1) Depth of design storm (i.e., 10-year, 24-hour storm event): _____ inches

(2) Source of design storm rainfall data: _____

b. Retention volume: _____ acre-feet

c. Retention facility bottom elevation: _____

d. Retention facility depth: mean depth _____ feet; maximum depth _____ feet

e. Retention volume recovery:

(1) (a) Design percolation rate: _____

(b) Method of determination: _____

(2) (a) Design evaporation rate: _____

(b) Method of determination: _____

(3) Retention volume recovery time: _____ days

C. EXISTING FACILITY TYPE I WASTEWATER SYSTEM:

(Complete this section for existing facilities.)

1. Average daily flow of produced Type I wastewater: _____ gallons/day

2. a. Type I area of site: _____ acres

b. Percent impervious: _____ %

3. Will a retention or wet detention system be utilized? Retention Wet Detention

4. Wet detention systems:

a. Sediment traps:

- (1) Number used: _____
- (2) Construction materials: _____
- (3) Dimensions: _____

b. Off-line wet detention:

- (1) Treatment volume: _____ acre-feet
- (2) Type of drawdown device utilized: _____
- (3) Type of overflow device utilized: _____
- (4) Control elevation: _____
- (5) Discharge point design tailwater elevation: _____
- (6) Recovery time for one-half of treatment volume: _____ hours
- (7) Permanent pool volume: _____ acre-feet
- (8) Wet season (3-month) residence time of permanent pool: _____ days
- (9) Permanent pool mean depth: _____ feet
- (10) Permanent pool maximum depth: _____ feet

5. Retention systems:

- a. The system will retain Type I wastewater, including:
- Runoff from the 10-year, 24-hour storm event
 - Runoff from the first 1-inch of rainfall
 - The first 1/2-inch of runoff

If applicable, indicate rainfall depth of the 10-year, 24-hour storm event: _____ inches

Source of rainfall data: _____

- b. Is the retention system an off-line system? Yes No

c. Retention volume: _____ acre-feet

d. Retention facility bottom elevation: _____

e. Retention facility depth: mean depth _____ feet; maximum depth _____ feet

f. Retention volume recovery:

(1) (a) Percolation rate: _____

(b) Method of determination: _____

(2) (a) Evaporation rate: _____

(b) Method of determination: _____

(3) Retention volume recovery time: _____ days

D. VEHICLE/EQUIPMENT WASHING CLOSED-LOOP RECYCLE SYSTEM:

(Complete this section if applicable.)

1. Describe the treatment/recycle system, including all activities contributing wastewater to the system:

2. Provide a line drawing of the system, including all unit processes. Indicate the size and capacity of all treatment units as well as the expected wastewater flow of the system. Indicate if there are any emergency discharge provisions and under what circumstances discharge would occur.

PART V - DISCHARGE INFORMATION

For new facilities, if Type I wastewater and non-contact stormwater will be discharged off-site, complete this part. For existing facilities, if Type I wastewater will be discharged off-site, complete this part.

A. OUTFALL LOCATION: For each outfall, list the latitude and longitude and name of the receiving water(s).

Outfall No.	Latitude			Longitude			Receiving Water Name
	Deg.	Min.	Sec.	Deg.	Min.	Sec.	

B. RECEIVING WATERS:

1. For each surface water receiving discharge, supply the following information:

Receiving Water Name	Check One		Classification (See Ch. 62-302, F.A.C.)	Type of Receiving Water (ditch, canal, river, lake, etc.)
	Fresh	Salt or Brackish		

2. Are any of the receiving waters identified above designated Outstanding Florida Waters or Outstanding National Resource Waters? Yes No

PART VI - CERTIFICATIONS

A. PROFESSIONAL ENGINEER REGISTERED IN FLORIDA:

This is to certify the engineering features of this pollution control project have been designed/examined by me and found to be in conformity with modern engineering principles, applicable to the treatment and disposal of wastewater and stormwater. There is reasonable assurance, in my professional judgment, that the pollution control facilities, when properly maintained and operated, will discharge an effluent that complies with all applicable statutes of the State of Florida and the rules of the Department.

_____ Signature	_____ Company Name:
_____ Name (please type)	Address: _____
(Affix Seal)	_____ Florida Registration No.: _____
	Telephone No.: _____
	Date: _____

B. OWNER OR OPERATOR¹:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

_____ Name & Official Title (type or print):	_____ Signature
Address: _____	Date Signed: _____
_____ Telephone No.: _____	

¹ Signatory requirements are contained in Rule 62-620.305, F.A.C.

Lake County - IW
Permit No. 35-FLG110736
Discharge from Concrete Batch Plant Site
Facility-Batch Plant
Lake Industrial Boulevard
Tavares, Florida 32778

Date: June 9, 2016

State of Florida
Department of Environmental Protection

Generic Permit
For
Discharges From
Concrete Batch Plants
March 10, 1997

This permit is issued under the provisions of Section 403.0885 and Part IV of Chapter 373, Florida Statutes, and applicable rules of the Florida Administrative Code and constitutes authorization to discharge to waters of the state under the National Pollutant Discharge Elimination System (NPDES). Until this permit expires, is terminated, modified or revoked, permittees that have properly obtained coverage under this permit are authorized to construct and operate facilities and discharge to ground and surface waters of the state in accordance with the terms and conditions of this permit.

Part I General Provisions

A. Applicability and Coverage

1. For new concrete batch plants, this generic permit authorizes construction and operation of wastewater and stormwater management systems under Section 403.0885, F.S., and stormwater management facilities under Part IV of Chapter 373, F.S., or Chapter 62-25, F.A.C. For existing concrete batch plants, this generic permit authorizes operation of wastewater and stormwater management systems under Section 403.0885, F.S. This generic permit also constitutes authorization to construct and operate closed-loop recycling vehicle/equipment washing facilities at concrete batch plants.
2. This generic permit does not constitute authorization under Part IV of Chapter 373, F.S., for the construction, alteration, operation, maintenance, abandonment, or removal of any stormwater management system, dam, impoundment, reservoir, or appurtenant work or works, including dredging or filling, in, on or over wetlands and other surface waters, as determined by the methodology authorized in Subsection 373.421(1), F.S. This generic permit does not constitute authorization under Part IV of Chapter 373, F.S., for the construction, alteration, operation, maintenance, abandonment, or removal of any stormwater management system, dam, impoundment, reservoir, or appurtenant work or works within the Sensitive Karst Areas Basin as defined in Rule 40C-41.023(5), F.A.C.; Riparian Habitat Protection Zones designated in Rules 40C-41.063(3)(e)1.a.-c. and 40C-41.063(5)(d)1.a.-d., F.A.C.; and the Water Quality Protection Zone designated in Rule 40C-41.063(3)(c), F.A.C.
3. Coverage under this generic permit is available for new concrete batch plants, which meet the criteria specified in this permit, excluding Part III, and existing concrete batch plants, which meet the criteria specified in this permit, excluding Part II.
4. New and existing concrete batch plants which do not qualify for coverage or do not choose to be covered under this generic permit shall apply for an individual wastewater permit on the appropriate form listed in Rule 62-620.910, F.A.C., and in the manner established in Chapter 62-620, F.A.C., including submittal of the appropriate processing fee set forth in Rule 62-4.050, F.A.C.

B. Definitions

For the purposes of this generic permit the following definitions shall apply, unless otherwise indicated:

1. “Concrete Batch Plant” or “Ready-mix Concrete Batch Plant” means a ready-mixed concrete production plant engaged primarily in the manufacture of portland cement concrete which is delivered to users in a plastic and unhardened state. Industrial activities associated with ready-mixed concrete production are classified as Standard Industrial Classification Code (SIC) 3273.
2. “Existing Facility” or “Existing Concrete Batch Plant” means a concrete batch plant, which was in operation on or before May 9, 1996.
3. “Expansion” means an increase in area or impervious surface of a concrete batch plant site which results in a substantial increase in the volume of runoff generated at the site.
4. “New Facility” or “New Concrete Batch Plant” means a concrete batch plant which was constructed or placed into operation after May 9, 1996, or an existing facility to which an expansion was made after May 9, 1996.
5. “Type I Wastewater” means wastewater generated during general industrial activities at a concrete batch plant including conveyor washdown; washing of mixing plant and slump racks, and other similar sources; washing of mixer truck chutes and dust spray-off from mixer truck exteriors; runoff from water sprayed on aggregate piles, including reclaimed Type II wastewater used for this purpose; water sprayed for dust control; contact stormwater runoff; and any water that comes into contact with this wastewater. This term does not include mixer truck undercarriage washing or other truck or equipment washing.

6. "Type II Wastewater" means wastewater generated from washout of the interior of a concrete truck mixer drum and any water that comes into contact with this wastewater, excluding contact as a result of spraying reclaimed Type II wastewater on aggregate piles.
7. "Contact Stormwater" means stormwater that has the potential to come into contact with areas of industrial activity on a concrete batch plant site. As used herein, this term is synonymous with "stormwater associated with industrial activity" as defined in 40 CFR 122.26.
8. "Non-contact Stormwater" means stormwater that does not have the potential to come into contact with areas of industrial activity on a concrete batch plant site. As used herein, this term excludes any "stormwater associated with industrial activity" as defined in 40 CFR 122.26.

C. Request for Coverage

1. Requests for coverage under this generic permit shall be submitted to the appropriate district office of the Department, as listed in condition VII.A.1. For new facilities, requests for coverage shall be submitted at least 30 days prior to planned commencement of construction of Type I wastewater management systems, Type II wastewater containment systems, and non-contact stormwater management systems. Requests for coverage for new and existing facilities shall include the following items:
 - a. Completed Notice of Intent to Use Generic Permit for Discharges from Concrete Batch Plants, DEP Form 62-621.300(3)(b).
 - b. Applicable general permit fee pursuant to Rule 62-4.050, F.A.C.
 - c. Engineering report, signed and sealed by a professional engineer in accordance with condition VII.A.3., containing the following:
 - (1) A description of the Type II wastewater containment system, Type I wastewater management system, and any on-site non-contact stormwater management facilities.
 - (2) A site plan indicating the location of the Type I and Type II wastewater systems, and any on-site non-contact stormwater facilities, and delineating areas contributing drainage into each system. The direction of flow should be indicated on the site plan. The site plan shall also clearly indicate the location of any points of discharge.
 - (3) The design criteria on which the wastewater and stormwater systems are based, such as: the calculation of design average daily flow of the non-stormwater components of Type I and Type II wastewater; stormwater runoff calculations; design storms utilized; sources of data for rainfall or design storm information; stage/storage calculations; determination of percolation rates; and, any other information or assumptions used for design.
 - (4) A description of the operational mode of Type I and Type II wastewater systems, including pumping or other conveyance systems and use or recycling of reclaimed Type I and Type II wastewater.
 - (5) A description of any facilities for handling, use, or disposal of solids from Type II wastewater containment systems or Type I wastewater management systems.
 - (6) The location on the site and a description of any closed-loop recycling vehicle/equipment washing facilities.

D. Period of Coverage

1. Coverage under this generic permit shall be effective upon written notification by the Department. The Department shall process requests for coverage under this generic permit pursuant to the provisions of Rule 62-620.510(1)-(5) and (8), F.A.C.
2. Coverage under this generic permit is limited to a term not to exceed five years from the effective date of coverage.

Part II Design and Operational Requirements for Type II Wastewater, Type I Wastewater and Non-contact Stormwater Management Facilities for New Concrete Batch Plants

A. Type II wastewater facilities:

1. The permittee shall construct and place into operation, in accordance with the compliance schedule for new facilities contained in Part VI of this generic permit, an impermeable facility for containment and reclamation of all Type II wastewater produced. (For purposes of this generic permit, a Type II wastewater containment system constructed of concrete shall be considered impermeable.) In addition to containing produced Type II wastewater, the wastewater containment system shall provide sufficient capacity to retain the volume of rainfall which falls directly into the Type II wastewater containment system and stormwater runoff from the area contributing drainage into the Type II wastewater containment system, resulting from the 25-year, 24-hour storm event identified in the engineering report.
2. There shall be no discharge from the Type II wastewater containment system except following a rainfall event exceeding the 25-year, 24-hour storm event.
3. All produced Type II wastewater shall be discharged to the Type II wastewater containment system.
4. There shall be no direct discharge from the Type II wastewater containment system to ground or surface waters of the state. (For purposes of this condition, "waters" shall be as defined in Section 403.031, F.S.) Any overflow from the Type II wastewater containment system, as a result of rainfall in excess of the 25-year, 24-hour storm event, shall discharge to an emergency holding pond or to the Type I wastewater management system.

B. Type I wastewater and non-contact stormwater management facilities:

1. The facility shall meet the design and operational criteria of a. or b. below:
 - a. The permittee shall construct and place into operation, in accordance with the compliance schedule for new facilities contained in Part VI of this generic permit, a Type I wastewater and non-contact stormwater management system consisting of a sediment trap/diversion structure(s), an off-line wet detention facility for treatment of the first one-half (1/2) inch of runoff from the Type I area of the site (i.e., area of the site that produces Type I wastewater), and a final wet detention facility for final treatment of pre-treated Type I wastewater and non-contact stormwater as more particularly described below:

(1) Sediment trap/diversion structure(s).

The sediment trap/diversion structure(s) shall be the point of collection of all Type I wastewater from the site. They shall be designed to collect granular materials that wash off the Type I area of the site. They should be constructed of concrete, or other durable material, capable of withstanding cleaning on a routine basis. They shall be designed such that the first one-half inch of runoff from the Type I area of the site is diverted to the off-line wet detention facility described in (2) below. Runoff in excess of the first one-half inch from any event shall be diverted to the final wet detention treatment facility described in (3) below.

(2) Off-line wet detention facility for treatment of first one-half inch of runoff.

The facility shall have an outlet structure consisting of a drawdown device, such as an orifice or V- or square-notch weir, and an overflow device, such as a standpipe or weir. The facility shall provide a treatment volume between the drawdown device (control) elevation and the overflow device elevation. The design treatment volume shall be sufficient to detain a minimum of one-half inch of runoff from the Type I area of the site. The drawdown device shall be designed such that one-half the treatment volume is recovered within the first 48 to 60 hours following any runoff producing event. Drawdown devices smaller than three inches minimum width, or less than 20 degrees for "V" notches, shall include a device to eliminate clogging (i.e., baffles, grates, etc.). The control elevation should be set at or above the design tailwater elevation at the point of discharge to the conveyance to the final wet detention facility and the seasonal high water table elevation to assure that the facility can effectively recover the treatment volume.

The facility shall provide a permanent (wet) pool below the control elevation. The permanent pool volume shall provide at least a 14-day residence time (the average time required to renew the water volume of the permanent pool) during the wettest three month period of the year. The facility's permanent pool maximum depth shall not exceed 12-feet and the facility's mean depth (permanent pool volume divided by surface area at the control elevation) should be between 2- and 8-feet.

The facility's configuration should be designed to minimize short circuiting and maximize mixing (i.e., flow path through facility has an average length to width ratio of at least 2:1, inlet and outlet locations maximize flow paths, etc.).

Discharge from the outlet structure shall be conveyed to the final wet detention facility described in (3) below.

(3) Final wet detention treatment facility.

The facility shall detain and treat the discharge from the off-line wet detention facility described in (2) above and runoff from the Type I area and non-contact stormwater area of the site.

The facility shall have an outlet structure consisting of a drawdown device, such as an orifice or V- or square-notch weir, and an overflow device, such as a standpipe or weir. The facility shall provide a treatment volume between the drawdown device (control) elevation and the overflow device elevation. The design treatment volume shall be sufficient to detain, at a minimum, discharge from the off-line wet detention facility and the greater of: one inch of runoff from the entire site; or 2.5-inches of runoff from the impervious area of the entire site. The drawdown device shall be designed such that one-half the treatment volume is recovered within the first 48 to 60 hours following any runoff producing event. Drawdown devices smaller than three inches minimum width, or less than 20 degrees for "V" notches, shall include a device to eliminate clogging (i.e., baffles, grates, etc.). The facility's outlet structure shall also be designed to accommodate passage of flows from the upstream wet detention facility and meet the appropriate discharge attenuation criteria pursuant to condition II.B.2. below. The control elevation should be set at or above the design tailwater elevation of the point of discharge from the site and the seasonal high water table elevation to assure that the facility can effectively recover the treatment volume.

The facility shall provide a permanent (wet) pool below the control elevation. The permanent pool volume shall provide at least a 21-day residence time (the average time required to renew the water volume of the permanent pool) during the wettest three month period of the year. The facility's permanent pool maximum depth shall not exceed 12-feet and the facility's mean depth (permanent pool volume divided by surface area at the control elevation) should be between 2- and 8-feet.

The facility's configuration should be designed to minimize short circuiting and maximize mixing (i.e., flow path through facility has an average length to width ratio of at least 2:1, inlet and outlet locations maximize flow paths, etc.).

- b. The permittee shall construct and place into operation, in accordance with the compliance schedule for new facilities contained in Part VI of this generic permit, facilities to retain and treat Type I wastewater and non-contact stormwater as more particularly described below:
 - (1) The retention facilities shall be designed to retain runoff from the Type I area of the site (i.e., area of the site that produces Type I wastewater), including all produced Type I wastewater and runoff from the Type I area of the site contributing drainage into the retention facilities, and non-contact stormwater, resulting from the 10-year, 24-hour storm event identified in the engineering report. The retention facilities design shall demonstrate recovery of system storage capacity through percolation to ground water and evaporation.
 - (2) The Type I wastewater and non-contact stormwater retention facilities shall not discharge to surface waters except following a rainfall event exceeding the 10-year, 24-hour storm event. The volume of discharge to surface waters shall be limited to the volume of rainfall on the area contributing drainage to the retention facilities and the volume of rainfall which falls directly into the retention facilities, in excess of the 10-year, 24-hour storm event.
- 2. The Type I wastewater and non-contact stormwater management system constructed in accordance with condition II.B.1. above shall be designed to assure that the post-development rate of discharge of stormwater runoff from the concrete batch plant site does not exceed the pre-development rate of discharge from the site in accordance with the applicable criteria for the Water Management District in which the facility is located pursuant to Rule 62-330.200, F.A.C.
- 3. All facilities shall be inspected and cleaned on a routine basis to assure continued proper operation.
- 4. Discharge from the Type I wastewater and non-contact stormwater management system shall not cause or contribute to violations of surface water quality standards pursuant to Chapter 62-302, F.A.C.
- 5. There shall be no direct discharge from the Type I wastewater and non-contact stormwater management system to Outstanding Florida Waters, Outstanding National Resource Waters or Class I waters.
- 6. Ground water monitoring shall not be required for the Type I wastewater and non-contact stormwater management facilities. The Type I wastewater and non-contact stormwater management facilities are authorized to discharge to ground water in accordance with the following conditions:
 - a. A zone of discharge is established for the discharge of Type I wastewater and non-contact stormwater to ground water, more specifically described as follows:

The zone of discharge shall extend 100 feet from the edge of the pollution source or to the permittee's property boundary, whichever is less.
 - b. Discharge to ground water shall not cause a violation of water quality standards for ground water at the boundary of the zone of discharge in accordance with Rules 62-520.400 and 62-520.420, F.A.C.
 - c. Discharge to ground water shall not cause a violation of the minimum criteria for ground water specified in Rule 62-520.400, F.A.C., within the zone of discharge.

C. Wastewater and stormwater management:

- 1. The permittee shall develop and implement, in accordance with the compliance schedule for new facilities contained in Part VI of this generic permit, a Wastewater and Stormwater Management Plan (WSMP) for on-site management of wastewater and stormwater. The WSMP shall be developed in accordance with Part VIII of this generic permit.

Part III Design and Operational Requirements for Type II Wastewater and Type I Wastewater Facilities for Existing Concrete Batch Plants

A. Type II wastewater facilities:

1. The permittee shall have in place and operational, in accordance with the compliance schedule for existing facilities contained in Part VI of this generic permit, an impermeable facility for containment and reclamation of all Type II wastewater produced. (For purposes of this generic permit, a Type II wastewater containment system constructed of concrete shall be considered impermeable.) In addition to containing produced Type II wastewater, the wastewater containment system shall provide sufficient capacity to retain the volume of rainfall which falls directly into the Type II wastewater containment system and stormwater runoff from the area contributing drainage into the Type II wastewater containment system, resulting from the 25-year, 24-hour storm event identified in the engineering report.
2. There shall be no discharge from the Type II wastewater containment system except following a rainfall event exceeding the 25-year, 24-hour storm event.
3. All produced Type II wastewater shall be discharged to the Type II wastewater containment system.
4. There shall be no direct discharge from the Type II wastewater containment system to ground or surface waters of the state. (For purposes of this condition, "waters" shall be as defined in Section 403.031, F.S.) Any overflow from the Type II wastewater containment system, as a result of rainfall in excess of the 25-year, 24-hour storm event, shall discharge to an emergency holding pond or to the Type I wastewater management system.

B. Type I wastewater facilities:

1. The facility shall meet the design and operational criteria of a. or b. below:
 - a. The permittee shall have in place and operational, in accordance with the compliance schedule for existing facilities contained in Part VI of this generic permit, a Type I wastewater management system consisting of a sediment trap/diversion structure(s) and an off-line wet detention facility for treatment of produced Type I wastewater and runoff resulting from the first one-half (1/2) inch of rainfall on the Type I area of the site (i.e., area of the site that produces Type I wastewater) as more particularly described below:

(1) Sediment trap/diversion structure(s).

The sediment trap/diversion structure(s) shall be the point of collection of all Type I wastewater from the site. They shall be designed to collect granular materials that wash off the Type I area of the site. They should be constructed of concrete, or other durable material, capable of withstanding cleaning on a routine basis. They shall be designed such that produced Type I wastewater and runoff resulting from the first one-half (1/2) inch of rainfall on the Type I area of the site is diverted to the off-line wet detention facility described in (2) below.

(2) Off-line wet detention facility for treatment of first one-half inch of runoff.

The facility shall have an outlet structure consisting of a drawdown device, such as an orifice or V- or square-notch weir, and an overflow device, such as a standpipe or weir. The facility shall provide a treatment volume between the drawdown device (control) elevation and the overflow device elevation. The design treatment volume shall be sufficient to detain a minimum of the runoff resulting from produced Type I wastewater and the first one-half (1/2) inch of rainfall on the Type I area of the site. The drawdown device shall be designed such that one-half the treatment volume is recovered within the first 48 to 60 hours following any runoff producing event. Drawdown devices smaller than three inches minimum width, or less than 20 degrees for "V" notches, shall include a device to eliminate clogging

(i.e., baffles, grates, etc.). The control elevation should be set at or above the design tailwater elevation at the point of discharge from the site and the seasonal high water table elevation to assure that the facility can effectively recover the treatment volume.

The facility shall provide a permanent (wet) pool below the control elevation. The permanent pool volume shall provide at least a 14-day residence time (the average time required to renew the water volume of the permanent pool) during the wettest three month period of the year. The facility's permanent pool maximum depth shall not exceed 12-feet and the facility's mean depth (permanent pool volume divided by surface area at the control elevation) should be between 2- and 8-feet.

The facility's configuration should be designed to minimize short circuiting and maximize mixing (i.e., flow path through facility has an average length to width ratio of at least 2:1, inlet and outlet locations maximize flow paths, etc.).

b. The permittee shall have in place and operational, in accordance with the compliance schedule for existing facilities contained in Part VI of this generic permit, facilities to retain and treat Type I wastewater as more particularly described below:

- (1) The retention facilities shall be designed to retain runoff from the Type I area of the site (i.e., area of the site that produces Type I wastewater), including all produced Type I wastewater and runoff from the Type I area of the site contributing drainage into the retention facilities, resulting from the 10-year, 24-hour storm event identified in the engineering report. The retention facilities design shall demonstrate recovery of system storage capacity through percolation to ground water and evaporation.

If the engineering report substantiates that, because of topographic, geotechnical or other site specific considerations, it was not feasible to construct retention facilities on the concrete batch plant site with sufficient capacity to retain the volume of runoff from the Type I area of the site resulting from the 10-year, 24-hour storm event, then the permittee shall have in place and operational, off-line retention facilities meeting the following criteria:

- (a) The retention facilities shall be designed to provide a treatment volume with sufficient capacity to retain all produced Type I wastewater and runoff resulting from either the first one (1) inch of rainfall on the Type I area of the site or the first one-half (1/2) inch of runoff from the Type I area of the site.
- (b) Capacity for the treatment volume specified in (a) above shall be provided within 72 hours following any runoff producing event. The retention facilities design shall demonstrate recovery of system storage capacity through percolation to ground water and evaporation.

- (2) The Type I wastewater retention facilities shall not discharge to surface waters except following a rainfall event which results in runoff exceeding the design runoff volume selected in accordance with (1) above. The volume of discharge to surface waters shall be limited to the volume of runoff entering the Type I wastewater retention facilities in excess of the design runoff volume selected in accordance with (1) above.

2. All facilities shall be inspected and cleaned on a routine basis to assure continued proper operation.
3. Discharge from the Type I wastewater management system shall not cause or contribute to violations of surface water quality standards pursuant to Chapter 62-302, F.A.C.
4. There shall be no direct discharge from the Type I wastewater management system to Outstanding Florida Waters, Outstanding National Resource Waters or Class I waters.
5. Ground water monitoring shall not be required for the Type I wastewater management facilities. The Type I wastewater management facilities are authorized to discharge to ground water in accordance with the following conditions:

- a. A zone of discharge is established for the discharge of Type I wastewater to ground water, more specifically described as follows:
 - (1) For facilities defined as existing facilities in Rule 62-522.200, F.A.C., the zone of discharge shall extend horizontally to the permittee's property line.
 - (2) For facilities that are not defined as existing in Rule 62-522.200, F.A.C., the zone of discharge shall extend 100 feet from the edge of the pollution source or to the permittee's property boundary, whichever is less.
- b. Discharge to ground water shall not cause a violation of water quality standards for ground water at the boundary of the zone of discharge in accordance with Rules 62-520.400 and 62-520.420, F.A.C.
- c. Discharge to ground water shall not cause a violation of the minimum criteria for ground water specified in Rule 62-520.400, F.A.C., within the zone of discharge.

C. Wastewater and stormwater management:

- 1. The permittee shall develop and implement, in accordance with the compliance schedule for existing facilities contained in Part VI of this generic permit, a Wastewater and Stormwater Management Plan (WSMP) for on-site management of wastewater and stormwater. The WSMP shall be developed in accordance with Part VIII of this generic permit.

Part IV Industrial Sludge Management Requirements

- 1. Disposal of waste products in a solid waste management facility shall be in accordance with the requirements of Chapter 62-701, F.A.C.
- 2. Materials generated and stored on-site, which are to be reused or recycled, are not considered waste products.

Part V Operation and Maintenance Requirements

A. Operation of Treatment and Disposal Facilities

- 1. The permittee shall ensure that the operation of pollution control facilities is as described in the WSMP and other supporting documents.

B. Record Keeping Requirements

- 1. The permittee shall maintain the following records on the site of the permitted facility and make them available for inspection:
 - a. Copies of all reports required by this generic permit for at least three years from the date the report was prepared, unless otherwise specified in the permit;
 - b. Records of all data, including reports and documents used to complete the request for coverage under this generic permit for at least three years from the date the request was filed, unless otherwise specified in the permit;
 - c. A copy of this generic permit; and
 - d. A copy of the record drawings required by condition VII.C.3. of this generic permit.

Part VI Compliance Schedules

- 1. New concrete batch plants obtaining coverage under this generic permit, meeting the criteria specified in Part II, shall achieve compliance with the conditions of this generic permit in accordance with the following schedule:

Wastewater and Stormwater Management Plan (WSMP):

- Develop WSMP ----- Prior to Effective date of coverage
- Submit Notice of Availability of WSMP ----- Prior to Effective date of coverage
- Implement WSMP ----- Effective date of coverage or upon commencement of operation, whichever is later

Other permit conditions:

- Operational level attained ----- Effective date of coverage or upon commencement of operation, whichever is later

- 2. Existing concrete batch plants obtaining coverage under this generic permit, meeting the criteria specified in Part III, shall achieve compliance with the conditions of this generic permit in accordance with the following schedule:

Wastewater and Stormwater Management Plan (WSMP):

- Develop WSMP ----- Effective date of coverage plus 6 months
- Submit Notice of Availability of WSMP ----- Effective date of coverage plus 6 months
- Implement WSMP ----- Effective date of coverage plus 12 months

Other permit conditions:

- Operational level attained ----- Effective date of coverage

Part VII Other Specific Conditions

A. Specific Conditions Applicable to All Permits

- 1. Unless specified otherwise in this permit, all reports and notifications required by this permit, including twenty-four hour notifications, shall be submitted or reported, as the case may be, to the Department’s Industrial Wastewater Section of the district office of the district in which the facility is located. Addresses of the Department’s district offices are indicated below:

Department of Environmental Protection
Central District Office
3319 Maguire Boulevard, Suite 232
Orlando, Florida 32803-3767

Department of Environmental Protection
South District Office
2295 Victoria Avenue
Fort Myers, Florida 33901

Phone: 407/893-3317
Fax: 407/897-2966

Phone: 813/332-6975
Fax: 813/332-6969

Department of Environmental Protection
Northeast District Office
7825 Bay Meadows Way, Suite 200B
Jacksonville, Florida 32256-7577

Phone: 904/448-4330
Fax: 904/448-4366

Department of Environmental Protection
Southeast District Office
400 North Congress Avenue
P.O. Box 15425
West Palm Beach, Florida 33416-5425

Phone: 407/681-6600
Fax: 407/681-6760

Department of Environmental Protection
Northwest District Office
160 Governmental Center
Pensacola, Florida 32501-5794

Phone: 904/444-8300
Fax: 904/444-8417

Department of Environmental Protection
Southwest District Office
3804 Coconut Palm Drive
Tampa, Florida 33619-8318

Phone: 813/744-6100
Fax: 813/744-8198

2. Drawings, plans, documents or specifications submitted by the permittee, not attached hereto, but retained on file with the Department, are made a part hereof.
3. Where specified in this generic permit, documents shall be signed and sealed by a professional engineer registered in the State of Florida pursuant to Chapter 471, F.S.
4. All of the general conditions listed in Rule 62-621.250, F.A.C., are adopted herein by reference.

B. Specific Conditions for Closed-loop Recycling Vehicle/Equipment Washing Facilities

1. There shall be no discharge from closed-loop recycling vehicle/equipment washing facilities to ground or surface waters of the state.
2. Rainfall, runoff and other extraneous sources of water shall be precluded from the closed-loop recycling vehicle/equipment washing facilities.
3. No oil, degreaser, engine coolant or other solid wastes shall be disposed of at the closed-loop recycling vehicle/equipment washing facilities.
4. Solids removed from sedimentation tanks and used filter materials shall be disposed of in accordance with condition IV.1.
5. Any waste oil collected from oil/water separators shall be disposed of in accordance with Chapter 62-710, F.A.C.

C. Specific Conditions Related to Construction

1. Prior to and during construction of systems specified in this generic permit, the permittee shall implement and maintain all erosion and sediment control measures required to retain sediment on-site and to prevent violations of state water quality standards. The permittee is encouraged to use appropriate best management practices described in the Florida Land Development Manual: A Guide to Sound Land and Water Management (Florida Department of Environmental Regulation, 1988).
2. Within thirty days of completion of construction, the permittee shall submit to the Department a completed "Certification of Completion of Construction" (DEP form 62-620.910(12)) signed and sealed by the engineer of record.

3. Record drawings shall be prepared and made available in accordance with Rule 62-620.410(10), F.A.C., within six months of placing new or substantially modified facilities into operation.

D. Duty to Request Continued Coverage

1. Coverage under this generic permit is limited to a term not to exceed five years from the effective date of coverage. The permittee may request continued coverage under this generic permit in accordance with the requirements contained in Section I.C. Alternatively, the permittee may request continued coverage by submitting the items specified in conditions I.C.1.a. and b. and a certification, signed and sealed by a professional engineer in accordance with condition VII.A.3., stating that no modification, as defined in Chapter 62-620, F.A.C., or expansion to the facility has been made during the current term of coverage. Request for continued coverage shall be made at least 180 days before expiration of the current coverage.

Part VIII Wastewater and Stormwater Management Plan

In accordance with the terms and conditions of this generic permit, the permittee is required to prepare and implement a Wastewater and Stormwater Management Plan (WSMP). The WSMP shall consist of two primary elements -- a best management practices element and a stormwater pollution prevention element. These two sections of the WSMP shall be in conformance with the provisions of Sub-parts A. and B. of this Part as follows:

A. Best Management Practices Element

1. The BMP plan element shall be prepared in accordance with Rule 62-621.700, F.A.C.
2. The following additional specific requirements shall be addressed in the BMP plan element:
 - a. Establish specific operation and maintenance requirements to ensure continued proper functioning of all on-site pollution control facilities, including the Type II wastewater containment system and Type I wastewater management system.
 - (1) Provide specific operation and maintenance procedures and schedules to assure proper long-term operation of the Type II wastewater containment system and associated appurtenances, including any necessary pumping equipment.
 - (2) Provide specific operation and maintenance procedures and schedules to assure proper long-term operation of the Type I wastewater management system components, including provisions to ensure non-clogging of outlet structures, conveyances, percolation basin bottoms, etc.
 - b. Establish specific BMPs for beneficial use/recycling of Type II wastewater and Type I wastewater, such as, cleaning out concrete truck mixer drums, manufacture of concrete, and sprinkling on aggregate piles.
 - c. Establish specific BMPs for the proper on-site handling of any sludge/solids removed from the Type II wastewater containment system or Type I wastewater management system.
3. The permittee shall amend the BMP plan element whenever there is a change in the facility or change in the operation of the facility which materially increases the potential for the ancillary activities to result in a discharge of significant amounts of pollutants or if the BMP plan element proves to be ineffective in achieving the general objective of preventing the release of significant amounts of pollutants to waters of the state.

B. Stormwater Pollution Prevention Element

1. General Requirements:

The stormwater pollution prevention plan element shall be prepared in accordance with good engineering practices. The plan element shall identify potential sources of pollution which may reasonably be expected to affect the quality of stormwater discharges associated with industrial activity from the facility. In addition, the plan element shall describe and ensure the implementation of practices which are to be used to reduce the pollutants in stormwater discharges associated with industrial activity at the facility and to assure compliance with the terms and conditions of this permit. Facilities must implement the provisions of the stormwater pollution prevention plan element required under this sub-part as a condition of this permit.

2. Signature and Review:

- a. The plan shall be signed in accordance with Rule 62-620.305, F.A.C., and be retained on-site at the facility which generates the stormwater discharge for the term of coverage under this permit.
- b. The permittee shall make plans available to the Department upon request.
- c. The Department shall notify the permittee at any time that the plan does not meet one or more of the minimum requirements of this sub-part. Such notification shall be in writing and shall identify those provisions of the permit which are not being met by the plan element, and identify which provisions of the plan element require modifications in order to meet the minimum requirements of this sub-part.

3. Keeping Stormwater Pollution Prevention Plan Element Current:

The permittee shall amend the plan element whenever there is a change in design, construction, operation, or maintenance, which has a significant effect on the potential for the discharge of pollutants to the waters of the State or if the stormwater pollution prevention plan element proves to be ineffective in eliminating or significantly minimizing pollutants from sources identified under item 4.b. (Description of Potential Pollutant Sources) of this sub-part, or in otherwise achieving the general objectives of controlling pollutants in stormwater discharges associated with industrial activity.

4. Contents of Stormwater Pollution Prevention Plan Element:

The SWPP plan element shall include, at a minimum, the following items:

a. Pollution Prevention Team.

The plan element shall identify a specific individual or individuals within the facility organization as members of a stormwater Pollution Prevention Team that are responsible for developing the stormwater pollution prevention plan element and assisting the facility or plant manager in its implementation, maintenance, and revision.

b. Description of Potential Pollutant Sources.

The plan element shall provide a description of potential sources which may reasonably be expected to add significant amounts of pollutants to stormwater discharges. The plan element shall identify all activities and significant materials which may potentially be significant pollutant sources. The term significant materials shall be as defined in 40 CFR 122.26(b)(12), the definition of which is hereby incorporated by reference. The plan element shall include, at a minimum:

(1) Drainage.

A site map indicating an outline of the portions of the drainage area of each outfall that are within the facility boundaries, each existing structural control measure to reduce pollutants in stormwater runoff, surface water bodies, locations where significant materials are exposed to precipitation, locations where major spills or leaks identified under item 4.b.(3) (Spills and Leaks) of this sub-part have occurred, and the locations of the following activities where such activities are exposed to precipitation: fueling stations; vehicle and equipment maintenance and/or cleaning areas; loading/unloading areas; locations

used for the treatment, storage or disposal of wastes; liquid storage tanks, processing areas and storage areas. Facilities shall also identify, on the site map, the location of any: bag house or other dust control device; recycle/sedimentation pond, clarifier, or other device used for the treatment of wastewater, as well as the areas that drain to the treatment device.

(2) Inventory of Exposed Materials.

An inventory of the types of materials handled at the site that potentially may be exposed to precipitation. Such inventory shall include a narrative description of significant materials that have been handled, treated, stored, or disposed of in a manner to allow exposure to stormwater in the three years prior to the effective date of coverage under this permit. Additionally, the inventory shall include a narrative description of the method and location of on-site storage or disposal.

(3) Spills and Leaks.

A list of significant spills and leaks of toxic or hazardous pollutants that occurred at areas that are exposed to precipitation, or that otherwise drain to a stormwater conveyance, at the facility in the three years prior to the effective date of coverage under this permit. The term "significant spills and leaks" shall be as defined in the September 29, 1995 Federal Register (Vol. 60, no. 189, page 51123), the definition of which is hereby incorporated by reference. Such list shall be updated as additional spills and leaks occur.

c. Measures and Controls.

Each facility covered by this permit shall develop a description of stormwater management controls appropriate for the facility, and implement such controls. The appropriateness and priorities of controls in the plan element shall reflect identified potential sources of pollutants at the facility. The description of stormwater management controls shall address the following minimum components:

(1) Good Housekeeping.

Good housekeeping requires areas which may contribute pollutants to stormwater discharges to be maintained in a clean, orderly manner.

- (a) Facilities shall prevent or minimize the discharge of spilled cement, aggregate (including sand or gravel), kiln dust, fly ash, settled dust and other significant materials in stormwater from paved portions of the site that are exposed to stormwater. Measures used to minimize the presence of these materials may include regular sweeping, or other equivalent measures. The plan element shall indicate the frequency of sweeping or other measures. The frequency shall be determined based upon consideration of the amount of industrial activity occurring in the area and frequency of precipitation, but shall not be less than once per week when cement, aggregate, kiln dust or fly ash are being handled or otherwise processed in the area.
- (b) Facilities shall prevent the exposure of fine granular solids such as cement, fly ash and kiln dust to stormwater. Methods to prevent exposure of materials to stormwater include storing in enclosed silos, hoppers or buildings, in covered areas, or under covering.

(2) Preventive Maintenance.

A preventive maintenance program shall involve timely inspection and maintenance of stormwater management devices (e.g. cleaning oil/water separators, catch basins) as well as inspecting and testing facility equipment and systems to uncover conditions that could cause breakdowns or failures resulting in discharges of pollutants to surface waters, and ensuring appropriate maintenance of such equipment and systems. Facilities shall ensure that any existing dust collection systems are properly operated and maintained.

(3) Spill Response Procedures.

Procedures for cleaning up spills shall be identified in the plan element and made available to the appropriate personnel. The necessary equipment to implement a clean up should be available to personnel.

(4) Inspections.

Qualified facility personnel shall be identified to inspect designated equipment and areas of the facility specified in the plan element. The inspection frequency shall be specified in the plan element based upon a consideration of the level of industrial activity at the facility, but shall be a minimum of once per month while the facility is in operation. The inspection shall take place while the facility is in operation and shall at a minimum include all of the following areas that are exposed to stormwater at the site: material handling areas, above ground storage tanks, hoppers or silos, dust collection/containment systems, truck washdown and equipment cleaning areas. Tracking or follow-up procedures shall be used to ensure that appropriate actions are taken in response to the inspections. Records of inspections shall be maintained for the term of coverage under this permit.

(5) Employee Training.

Employee training programs shall inform personnel responsible for implementing activities identified in the stormwater pollution prevention plan element or otherwise responsible for stormwater management at all levels of responsibility of the components and goals of the stormwater pollution prevention plan element. Training should address topics such as spill response, good housekeeping, truck washout procedures, equipment washdown procedures and material management practices.

(6) Recordkeeping and Internal Reporting Procedures.

A description of incidents (such as spills, or other discharges), along with other information describing the quality and quantity of stormwater discharges shall be included in the plan element required under this sub-part. Inspections and maintenance activities shall be documented and records of such activities shall be incorporated into the plan element and shall be maintained for the term of coverage under this permit.

(7) Sediment and Erosion Control.

The plan element shall identify areas, which, due to topography, activities, or other factors, have a high potential for significant soil erosion, and identify structural, vegetative, and/or stabilization measures to be used to limit erosion.